WOROTKOV, V.M., kandidat meditainskikh nauk (Riga)

Garlic preparations in the prphylaxis and treatment of influence and acute catarins of the upper respiratory tract. Fel'd. i akush. 21 no.9:5-7 s '56. (NLRA 9:10) (MRLIC--THERPEUTIC USE) (INFLUENCA) (RESPIRATORY ORGANS--DISEASES)

KOROTKOV, V.M., kand.med.nauk (Khar'kov, ul.Sh.Rustaveli, d.4/6, kv.37)

Clinical basis for the use of phytoncides in septic surgery.
Nov.khir.arkh. no.4:43-48 J1-Ag '59. (MIRA 12:11)

1. Emar'kovskiy meditsinskiy institut.
(PHYTONCIDES) (SUPPURATION)


"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824910020-5

KOROTKOV, DOCEMT V. M. (Colone) of the Medical Service)

"Bactericidal Properties of Garlic Phytoncides of Different Ages and Concentrations"

Voyenno-Meditsinskiy Zhurnal, No. 10, October 1961



KOROTKOV, V.M.

The 2PFN-6M and PFS-6 thinners. Biul.tekh.-ekcn.inform.Gos.nauch.issl.inst.nauch.i tekh.inform. 17 no.7:66-69 Ji 64. (MIRA 17:10)

APPROVED FOR RELEASE: 06/14/2000

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5

KOROTKOV, V. H. USSR/Engineering - Automotive equipment Card 1/1 2 Pub. 71 - 13/17 Efimov, G. P., and Korotkov, V. N. Authora Title The effectiveness of the use of lift-trucks in rail trensport Periodical Nech. trud. rab. 5, 41-45, July 1954 Abstract A study was conducted concerning the advantage of using lifttrucks for loading commercial goods on rolling stock. General description of 210, 4004, and UFN-6 lift-trucks is presented, together with instructions for their operation. Illustrations; Institution Submitted

Weing fork lift trucks in railroad stations. Mekh.trud.rab.10 no.4:
13-16 Ap *56. (Fork lift trucks) (MLRA 9:7)

KOROTKOV, VALENTIN NIKCIAYEVICH


KOROTKOV, Velentin Bikolayevich: RIDEL', E.I., redaktor; VERINA, G.P.,

tekinicheskiy redaktor

[Menual for operators of gantry cranes] Rukovodstvo kranovshchiku
koslovogo krana. Moskva. Gos.transp.shel-dor.isd-vo, 1957. 307 p.

(Granes, derricks, etc.)

(MIRA 10:9)



06178 sov/115-59-11-6/36

12 (2, 3), 25 (1)

Malakhov, K.N., Korotkov, V.N.

AUTHORS:

Certain Problems of Weight-measurement Technique in Railroad

TITLE:

Izmeritel'naya tekhnika, 1959, Nr 11, pp 21-24 PERIODICAL:

ABSTRACT:

The authors review some problems encountered with RR car balances on Russian RR lines. After World War II, from 1948 to 1958, a great number of 100-ton RR car balances was installed at RR stations and at industrial installations. However, in recent years the construc-tion of RR car balances decreased. One of the reasons tion of KK car balances decreased. One of the reasons for this reduction is the fact that the Soviet RR balances are outdated. Weighing one freight car lasts about 2.5-3 minutes. For manual unloading of RR cars, up to two hours are required, thus only 2-5% were spent to two hours are required, thus only 2-5% were spent to two hours are required. for weighing the RR car. When using modern mechanical aids, the unloading of a RR car is performed within 6 to 30 minutes, thus 15-30% of this time is wasted for the interpretation of the car. weighing the car. At some RR stations the operators introduced minor modifications for improving the effi-

Card 1/3

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824910020-5"

06178 SOV/115-59-11-6/36

Certain Problems of Weight-measurement Technique in Railroad Transportation

ciency of the balances. In this connection the authors mention the names of the following RR employees: Akinfiyev, Kharlamov, Stetsenko, Voskoboyev and Kaplev. Soviet designers work on electronic devices for weighing RR cars. Tensometric devices for static weighing of RR cars are built at the measuring instrument laboratory of the Nevskiy khimicheskiy kombinat (Neva Chemical Combine) in Leningrad under the supervision of Buzhinskiy. The scientific research section of the Odesskiy politekhnicheskiy institut (Odessa Polytechnic Institute) works on new electronic RR car balances upon request of the Ministerstvo putey soobshcheniya SSSR (USSR Ministry of Transportation). These balances are designed for weighing the RR car while in motion with automatic recording of the weight. Concerning the repair of RR car balances, the authors state that the majority of mobile and stationary repair shops is well equipped. In this connection, the authors mention the Senior Technical Inspector Mikhaylov from the Chelyabinskaya gouderstvenn-

Card 2/3

06178 SOV/115-59-11-6/36

THE THIRD PROPERTY OF THE PROP

Certain Problems of Weight-measurement Technique in Railroad Transportation

aya kontrol'naya laboratoriya po izmeritel'noy tekhnike (Chelyabinsk State Laboratory for Measuring Engineering) who used screw-type jacks for loading the balances for checking. This method was improved by the Senior Engineer S.I. Gauzner from the Komitet standartov, mer i izmeritel'nykh priborov. A note from the editor says that a basic improvement of RR car balances is necessary and that the USSR Ministry of Transportation must take appropriate steps in this direction. There are 2 diagrams.


Card 3/3

MALAKHOV, Konstantin Nikolayevich; KOROTKOV, Valentin Nikolayevich;
L'VITSYN, Nikolay Fedorovich; RIPEL', E.I., kand.tekhn.nauk,
red.; KHITROV, P.A., tekhn.red.

[Equipment used in freight handling] Tekhnika gruzovogo
khoziaistva. Moskva, Vses.izdatel'sko-poligr.ob*edinenie M-va
putei soobshcheniin, 1960. 166 p.

(Railroads--Freight)

ALTERNATION DE LA CONTRACTION DEL CONTRACTION DE LA CONTRACTION DE



KOROTKOV, Valentin Nikolajevich; YEFIMOV, G.P., kand. tekhn. nauk, retsenzent; TSARENKO, A.P., inzh., red.; KHITROVA, N.A., tekhn. red.

[Manual for the operator of a gantry crane] Posobie kranovshchiku kozlovogo krana. Izd.2., ispr. i dop. Moskva, Vses. poligr. ob*edinenie M-va putei soobshcheniia, 1961. 271 p. (MIRA 14:11) (Cranes, derricks, etc.)

FROLOV, A.F.; KOROTKOVA, V.N.

Equilibrium of the liquid - vapor system for a mixture of isoprene with hydrocarbons of the fraction C₅. Khim.prom. no.6: (MIRA 14:6)

l. Nauchno-issledovatel skiy institut monomerov dlya SK,i Yaroslawskiy tekhnologicheskiy institut. (Isoprene) (Hydrocarbons)

ZOTOV, Mikhail Nikolayevich; YEFREMOVICH, Boris Arsent'yevich;
YERSHOV, Mikhail Vasil'yevich; ERONFIN, M.S., inzh.,
retsenzent; KLOCHKOV, V.I., inzh., retsenzent; KOROTKOV,
V.N., inzh., red.; KHITROVA, N.A., tekhn. red.

[Working principle and operation of automatic battery-powered loaders] Ustroistvo i ekspluatatsiia akkumuliatornykh avtopogruzchikov. Moskva, Vses. izdatel'sko-poligr. ob"edinenie M-va putei soobshcheniia, 1962. 77 p. (MIRA 15:4) (Loading and unloading-Equipment and supplies)

THE TOTAL PROPERTY OF THE PERSON OF THE PERS MYASNIKOV, Z.M., inzh. (Khar'kov); KOROTKOV, V.N., inzh. (Khar'kov) Ways of improving the preparation of cars for grain transportation.

Zhel.dor.transp. 44 no.9:87-89 S '62. (MIRA 15:9)

(Railroads—Freight cars) (Grain—Transportation)

CANADAR STRUKTURAN MARKAN M

KOROTKOV, V.N., inzh.

Mechanization and advanced technology are the basis for a further increase of labor productivity in freight operations. Zhel. dor. transp. 45 no.5:25-31 My 63. (MIRA 16:10)

1. Nachal'nik planovo-tekhnicheskogo otdela Glavnogo gruzovogo upravleniya Ministerstva putey soobshcheniya.

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5

GUPALO, Yu.P.; KOROVIN, V.N.

Reclamation of the filter in air an spansion stal preparation.

Trudy IGI 20%40-45 '63.

(MIRA 17%)

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5

Overall mechanization of loading and unloading operations. Zhel.dor.
(MIRA 18:10)
transp. 47 no.10:3-8 0 65.

1. Glavnyy inzh. Glavnogo gruzovogo upravleniya Ministerstva putev soobshcheniya.

KORCTKOV, V.N.; FIRSOV, V.D. (Michurinsk, Tambovskoy oblasti, Gogolevskaya ul. 57-a; kv. 7)

Torsion of the spleen. Vest. khir. 92 no.1:87 Ja 164. (MIRA 17:11)

1. Iz khirurgicheskogo otdeleniya Michurinskoy zheleznodorozhnoy bol!

nitay (nachal'nik - V.N. Korotkov).

KOROTKOV Vladimir Patrovich; RYMAR', B.F., nauchnyy redaktor;

SERBERENNIKOVA, L.A., redaktor; MATISEVICH, N.L., tekhnicheskiy redaktor.

[Measuring length and angles in machinery manufacturing]

Izmerenie dlin i uglov v mashinostroenii. Moskva, Vses.uchebnopedagog.isd-vo Trudreservisdat, 1957. 99 p. (MIRA 10:11)

(Measuring instruments) (Machine-shop practice)

VOLODIS, Ye.I., kandidat tekhnicheskikh nauk; GORODETSKIY, I.Te., professor, doktor tekhnicheskikh nauk (decessed); DOSCHATOV, V.V., inshener; GOROTEOV, V.P., kandidat tekhnicheskikh nauk; MANTSEV, B.M., inshener; RESTENOVSKIY, M.M., inshener; PALEY, M.A., inshener; ROSTOVIKH, A.Ta., MESTENOVSKIY, M.M., inshener; PALEY, M.A., inshener; ROSTOVIKH, A.Ta., kandidat tekhnicheskikh nauk; MRVAYS, A.Y., skikh nauk; MINOV, V.Ia., kandidat tekhnicheskikh nauk; MRVAYS, A.Y., akikh nauk; ETUHOV, V.A., inshener; AGERMAN, H.S., doktor tekhnicheskikh inshener; CHUDOV, V.A., inshener; AGERMAN, H.S., doktor tekhnicheskikh nauk, professor, glavnyy redaktor; VIADISLAVIEV, V.S., redaktor; MALOY, nauk, professor, glavnyy redaktor; VIADISLAVIEV, V.S., redaktor; MARKUS, M.Ye., CHERMANSKIY, S.A., kandidat tekhnicheskikh nauk, redaktor; MARKUS, M.Ye., inshener, redaktor (decessed); MARHON, V.G., inshener, redaktor graficheskikh rabot; SOKOLOVA, T.F., tekhnicheskiy redaktor

[Metal worker's manual; in five volumes] Spravochnik metallista; v plati tomakh. Red. sovet M.S.Acherman i dr. Moskva, Gos.,nauchno-tekhn. indvo mashinostroit.lit-ry. Vol.1. (Pod red.S.A. Chernavskogo).1957.603 p. (Mechanical engineering)

AUTHOR:

Korotkov, V.P., Candidate of Technical Sciences 28-6-5/40

TITLE:

Summing-up the Errors in Basic Thread Parameters (Summirovaniye oshibok osnovnykh parametrov rez'by)

PERIODICAL:

Standartizatsiya, 1957, # 6, pp 16-20 (USSR)

ABSTRACT:

The author makes a mathematical analysis of the theory underlying the accepted practice of determining the tolerance, as well as that of the thread-cutting process itself, and concludes that the purely geometrical determination of the pitch diameter is not correct, since the value of the effective pitch diameter depends upon localized errors in the diameter and profile angle which are not constant over the entire length of thread.

He considers that the formation of thread is in fact determined by kinematic processes, and suggests a new measuring method - a check measurement of thread (cut by two-profile and one-profile cutting tools) on the pitch diameter with the use of a ball tip corresponding to the most suitable wire diameter, or a microscope measurement of the distances between identical generatrices along the pitch diameter line and calculating the mean arithmetical value. The author claims that either variation of the suggested method will show the value and the sign of error determined by the actual depth of the tools cut and by the kinematic accuracy of the

Card 1/2

Summing-up the Errors in Basic Thread Parameters

28-6-5/40

thread forming process. These errors can be corrected in the cutting process by a radial tool feed. This can considerably simplify the design of the correcting device and improve the accuracy of thread.

There are 4 drawings and 1 Russian reference.

ASSOCIATION: Moscow Machine-building Evening Institute (Moskovskiy vecherniy

mashinostroitel'nyy mastitut)

AVAILABLE: Library of Congress

Card 2/2 1. Industry-USSR 2. Screw threads-Standards

KOROTKOV, V.P.; YEREMIN, F.Te., inshener; ERAVTSOV, V.I., inshener.

Waking mercury-arc rectifiers. Elek.1 tepl.tiaga no.9:33-36 S '57.

(MIRA 10:10)

1. Fachal'nik remontno-revisionnogo tsekha Hovosibirakogo uchastka
energosnabsheniya (for Korotkov).

(Mercury-arc rectifiers)

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5

"Gerät für Kontrolle der Kinematischen Genauigkeit von Verzahmungen"

report presented at the
Intl. Measurements Conference (IMEKO) Budapest, 24-30 November 1960

KOKCIKOV, U. I. PHASE I BOOK EXPLOITATION 871

Belyayev, V. N., Candidate of Technical Sciences; Birger, I. A., Doctor of Technical Sciences; Demidov, S. P., Candidate of Technical Sciences; Korotkov, V. P., Candidate of Technical Sciences; Kudryavtsev, V. N., Doctor of Technical Sciences, Professor; Martynov, A. D., Candidate of Technical Sciences; Niberg, N. Ya., Candidate of Technical Sciences; Ponomarev, S. D., Doctor of Technical Sciences, Candidate Professor; Pronin, B. A., Candidate of Technical Sciences; Push, V. E., Candidate of Technical Sciences; Stephical Sciences; Stephical Sciences; Stephical Sciences; Tayts, B. A., Doctor of Technical Sciences

Spravochnik metallista. t. 2 (Metals Engineering Handbook. v. 2) Moscow, Mashgiz, 1958. 974 p. 100,000 copies printed.

Ed. (title page): Chernavskiy, S. A., Candidate of Technical Sciences; Ed. (inside book): Markus, M. Ye., Engineer (deceased); Tech. Ed.: Sokolova, T. F.; Editorial Board of the set: Acherkan, N. S., Doctor of Technical Sciences, Professor, Challman of the Board and Chief Ed.; Vladislavlev, V. S. (deceased); Malov, A. N.; Fozdnyakov, S. N.; Rostovykh, A. Ya.; Stolbin, G. B.; and Chernavskiy, S. A.

PURPOSE: The book is intended for technicians and engineers working in the field of machine design and in production.

card 1/19

BARDIN, I.P., akademik; DYMOV, A.M., prof., doktor khim.nauk; DIKUSHIN, V.I.; akademik; TSELIKOV, A.I.; OTLEV, I.A., inzh. (g. Khimki, Meskovskey oblasti).; DEM'YANYUK, F.S., prof., doktor tekhn.nauk; RYEKIN, A.P., prof., doktor tekhn.nauk; YAKUSHEV, A.I., prof., dokt. tekhn.nauk; KIDIN, I.M., prof. doktor tekhn.nauk; TSECHNOV, V.P., dots., kand. tekhn.nauk; SHUKHGAL'TER, L.Ya., dots., kand.tekhn.nauk; KUKIN, G.M., prof., doktor tekhn.nauk.

Every specialist should know the principles of of standardization.

Standartizatsiia 22 no.4:34-40 Jl-Ag '58. (MIRA 11:10)

L.Chlen-korrespondent AK SSSR (for TSelikov). 2.Fredsedatel* tekhnike-ekonomicheskege soveta Mosoblsovnarkhosa (for Rybkin). 3.Direkter

Moskovskege institute stali imeni I.V. Stalina (for Kidin). 4.Direkter

Moskovskege vecheradge mashinostroitel*noge instituta (for Korotkev).

(Standardization--Study and teaching)

SOV/115-59-6-4/33

25(1), 28(1)

AUTHORS:

Tayts, B.A., Korotkov, V.P.

TITLE:

Instruments for Checking the Kinematic Accuracy of Assemblies and

Machine Tools

PERIODICAL:

Izmeritel'naya tekhnika, 1959, Nr 6, pp 13-16 (USSR)

ABSTRACT:

The authors describe a number of devices developed in the USSR for determining the kinematic accuracy of mechanisms, especially gears. A considerable amount of mechanisms must provide a precise matching of the revolutions of the driving and the driven shafts. The mismatching must not exceed several angular seconds or microns, and, in some cases, even fractions of seconds or microns

are required. Consequently, it is necessary to develop

devices controlling the accuracy of individual mechanical links (gears, worm gears, screws) and devices for controlling entire link-trains and machine tools. Measurements of individual elements, gears, screws, etc. do not result in complete precision characteristics of the work of the given parts in a mechanism. Individual errors of one part are intensified or compensated by the errors of the other parts. Therefore, the most precise parts

Card 1/3

SOV/115-59-6-4/33

Instruments for Checking the Kinematic Accuracy of Assemblies and Machine Tools

must be checked under conditions analogous to the actual operation. Thus, the total error of a part may be established which it would show when installed in the mechanism for which it was designed. In the USSR, a number of devices was designed for the kinematic control of gears. The device MT-2 was produced for checking the total error of gears with a small modulus (0.02-1mm). This device is used for determining the total error of a singleprofile gear link by a measuring slide. A schematic diagram of this device is shown in Fig 1. For measuring under mass production conditions, the total error of gears having a medium modulus of 1-8, and a center distance of 70-300 mm, a simple device was developed with a short and reliable kinematic train, as shown in Fig 2. A self-recorder registers the total error of the gear to be controlled. Tests of this device showed that its error with the self-recorder amounts to 2-4 seconds at different ratios. For measuring the total error of medium-modulus, spur gears, a universal device was created, as shown in Fig 3. The tendency of eliminating the precision measuring gear led to the development of the control method without reference gears as suggested by N.N. Markov.

Card 2/3

SOV/115-59-6-4/33

Instruments for Checking the Kinematic Accuracy of Assemblies and Machine Tools

This device consists of an involute meter and an angular pitch meter. The combination of these meters produces error curves of the right and left tooth profiles. The outer contour, obtained in the recorder diagram, characterizes the single-profile error curve of the gear. D.A. Tayts suggested a device for controlling helical gears of up to 300 mm diameter and a modulus of 1-8, as shown in Fig.4. L.A. Arkhangel'skiy and G.I. Tkachevskiy developed a special device for controlling the matching of the rotary motion in precision gear milling machines. A.V. Levashev developed a device for checking the matching of the rotation of two links of a kinematic train which is used at a number of machine tool plants. This device is shown in Fig.5. V.P. Korotkov developed a method of controlling matching and rotary motion in gear and screw-cutting machine tools. This method is based on optical coincidence and comparision of the shifting of dial calibrations, belonging to the driving and driven links of the kinematic trains to be checked. Fig.6 shows the diagram of this device. The dial is shown in Fig.7. There are 7 diagrams.

Card 3/3

24(4) AUTHOR:

Korotkov, V.P.

SOV/115-59-9-7/37

TITLE:

An Optical Method of Checking the Kinematic Accuracy Without a Prototype

PERIODICAL:

Izmeritel'naya tekhnika, 1959, Nr 9, pp 16-19 (USSR)

ABSTRACT:

The author explains the principal features of the optical method which he developed for checking the kinematic accuracy without a prototype. This method is based on the coincidence of the displacements of the driving and the driven links of the mechanism to be checked, which are connected during the checking process with corresponding dials. The optical image of the dials is placed into the same view field of a dual microscope. The author describes the checking procedure in more detail. This method may be used for checking the kinematic accuracy of different mechanisms for which the deviation of prescribed motions must be determined: two forward motions, one rotating and one forward motion, two rotating motions. This method may be used for determining the

Card 1/3

signed and manufactured a model of this device for of the author. After the tooks and the Committee of signed and manufactured a model of this device for of the author. After the tooks and the contact the guidance

Card 2/3

of the author. After the tests of the guidance APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R060824910020

An Optical Method of Checking the Kinematic Accuracy Without a

are completed and after correction factors have been established, a second version of the device will be manufactured, which also may be recommended for introduction. There are 6 diagrams and 1 Soviet reference.

Card 3/3

. KORUTKOV, V.P.

PHASE I DOOK EXPLOITATION

80V/4438

Vzaimozamenyayemost' i tekhnicheskiye izmereniya v mashinostroyenii; mezhvuzovskiy sbornik, no. 2 (Interchangeability and Engineering Measurements in Machinery Manufacture; University Collection, No. 2) Moscow, Mashgiz, 1960. 542 p. Errata slip inserted. 5,000 copies printed.

Ed.: A.I. Yakushev, Doctor of Technical Sciences, Professor; Editorial Council:
A.I. Yakushev (Chairman); B.A. Tayts, Doctor of Technical Sciences, Professor;
Ye. I. Volodin, Docent; N.N. Ganchev, Docent; P.N. Goberman, Docent; and O. Ya.
Yegor'yev (Scientific Secretary), Engineer; Reviewer: M. Ye. Yegorov, Doctor
of Technical Sciences, Professor; Eds.: B.A. Tayts; V.P. Korotkov, Candidate
of Technical Sciences, Docent; L.N. Vorontsov, Candidate of Technical Sciences;
of Technical Sciences, Docent; L.N. Vorontsov, Candidate of Technical Sciences;
Nanaging Ed. for Literature on Machine and Instrument Construction (Mashgiz):
N.V. Pokrovskiy, Engineer; Ed. of Publishing House: G.F. Kochetova; Tech. Ed.:
T.F. Sokolova.

PURPOSE: This collection of articles is intended for scientific and technical personnel dealing with problems of interchangeability and engineering measurements in the machine and instrument industries.

Card 1/7

Interchangeability and Engineering Measurements (Cont.) 80V/4438

COVERACE: The book deals with the results of theoretical and experimental investigations of interchangeability of standard conjugated machine parts and the criteria for selecting the accuracy of measuring devices and for designing instruments for engineering measurements. Nethods for analyzing automatic machine tools, transfer machines, and means of feedback control of the dimensions of parts in process are discussed in detail. Methods based on the use of optically interfering screens and radioactive isotopes are included in the discussion. No personalities are mentioned. References accompany several of the articles.

TABLE OF CONTENTS:

TABLE OF CONTENTS:	
Yakushev, A.I. Foreword	3
SECRIOR I. THE REHARD ABILITY	
Korotkov, V.P. Kinematic Accuracy of Screw Pairs	9
Nikiforov, A.D. [Engineer]. System of Thread Tolerances Used in Clockwork	59
Stayev, K.P. [Candidate of Technical Sciences, Docent]. Accuracy of Threads Produced by Rolling	76
Gart 2/7	A MARKET AND A SECOND

PHASE I BOOK EXPLOITATION SOV/5762

Korotkov, Vladimir Petrovich, and Boris Arkad'yevich Tayts

- Osnovy metrologii i tochnosti mekhanizmov priborov (Fundamentals of Metrology and Accuracy of Instrument Mechanisms) Moscow, Mashgiz, 1961. 400 p. Errata slip inserted. 12,000 copies printed.
- Ed. (Title page): B. A. Tayts, Professor, Doctor of Technical Sciences; Reviewers: Z. M. Aksel'rod, Candidate of Technical Sciences, Docent, and A. I. Yakushev, Doctor of Technical Sciences, Professor; Ed. of Publishing House: I. I. Lesnichenko; Tech. Ed.: V. D. El'kind; Managing Ed. for Literature on Cold Working of Metals and Machine-Tool Making: V. V. Rzhavinskiy, Engineer.
- PURPOSE: This book is intended for students of instrument design in schools of higher technical education; it may also be used by metrologists and designers engaged in the designing, testing, and adjustment of instruments.

Card 1/10 2

Fundamentals of Metrology and (Cont.)

SOV/5762

COVERAGE: Basic information is presented concerning the theory of linear measurements and the accuracy of instrument mechanisms used in dimensional inspection. The book contains examples for calculating the accuracy of mechanisms which take into account errors in arrangement, manufacturing errors caused by clearances, etc. The contents of the book correspond to the lectures delivered by the authors at the Moskovskiy vecherniy mashinostroitelinyy institut (Moscow Night Institute of Mechanical Engineering). No personalities are mentioned. There are 121 references, all Soviet.

TABLE OF CONTENTS:

Foreword


3

(Docent V. P. Korotkov, Candidate of Technical Sciences)

Ch. 1. Units of Measure for Physical Quantities
1. The concept of measurement

5

Card 2/11



KOROTKOV, V.P., kand.tekhn.nauk, dotsent

Testing kinematic precision of a mechanism without models.
Vsaim.i tekh. ism.v mashinostr.; meshvus.sbor. no.3:207226 '61.

(Mechanical movements—Testing)

(Mechanical movements—Testing)

On the introduction of the International System of Units in the U.S.S.R. Plast.massy no.7:1-4 '63. (MIRA 16:8)
l. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritelinykh priborov pri Sovete Ministrov SSSR. (Units)
·
·

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5

KOROTKOV, V.P.

Introduction of the International Unit System in the U.S.S.R.

Ism.tekh. no.2:1-4 F '63.

(Mptric system)

(Mptric system)

BALAKSHIN, O.B., kand. tekhn. nauk; BYKHOVSKIY, M.L., prof., doktor tekhn. nauk; VOLODIN, Ye.I., kand. tekhn. nauk; GRIGOR'YEV, I.A., kand. tekhn.nauk; DRAUDIN-KRYLENKO, A.T., inzh.; IVANOV, A.G., kand. tekhn.nauk; KOZIOV, M.P., kand. tekhn. nauk; KOROTKOV. V.P., prof.; KOCHENOV, M.I., kand. tekhn. nauk; KUTAY, M.A., inzh.; BAYHMAN, N.S., kand. tekhn. nauk; PALEY, M.A., inzh.; BAYHMAN, N.S., kand. tekhn.nauk; ROSTOVYKH, A.Ya., kand. tekn. nauk; RUMYANTSEV, A.V., kand. tekhn.nauk; SARKIN, I.G., prof.; SMIRNOV, A.S., inzh.; TAYTS, B.A., prof., doktor tekhn. nauk; YAKUSHEV, A.I., prof., doktor tekhn. nauk; NESTEROV, V.D., inzh., nauchnyy red.; CHUDOV, V.A., inzh., nauchnyy red.; GAVPILOV, A.N., doktor tekhn.nauk, pref., red.; BLAGOSKIONOVA, N.Yu., inzh., red. izd-va; SOKOLOVA, T.F., tekhn. red.

O TOTAL OR STATEMENT BEING BEI


[Manufacture of instruments and means of automatic control: a manual in five volumes] Priborostroenie i sredstva avtomatiki; spravochnik v piati tomakh. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit. lit-ry. Vol.l.[Interchangeability and engineering measurements] Vzaimozameniaemost' i tekhnicheskie izmerenia. 1963. 568 p. (MIRA 16:8) (Electronic measurements) (Automatic control)


"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5

KOROTKOV, V.


Introduction of the international system of units in the U.S.S.R. Zhil. stroi. no.5:26-29 163. (MIRA 16:7)

l. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR.





"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5



Introduction of the international unit system in the S.S.S.R. Akust. zhur. 9 no.21257-260 163. (MIRA 16:4)


1. Zamestitel* Predsedatelya Komiteta standartov, mer i ismeritel*nykh priborov pri Sovete Ministrov SSSR. (Units)

できたいのであるとのであるというできないというできない。

KOROTKOV, V. International system of units. Streitel' 9 no.5:29-31 My '63. (MIRA 16:9) 1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov SSSR. (Units)

Comments on the introduction of the International System of Units in the U.S.S.R. Atom. energ. 15 no.1:96-98 Jl '63. (MIRA 16:8)

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5



TO THE THE PERSON AND THE PERSON AND

KOROTKOV, V.

Introduction of the international system of units in the U.S.S.R. Elektrosviaz' 17 no.6:72-75 Je '63. (MIRA 16:7)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov SSSR. (Units)

Introduction of the international system of units in the U.S.S.R. Prom.energ. 18 no.4:40-42 Ap *63. (MIRA 16:4)

1. Zamestitel predsedatelya Gosudarstvennogo komiteta standartov, mer i izmeritel nykh priborov SSSR. (Units)

Introduction of the International System of Units in the U.S.S.R. Mekh.stroi. 20 no.5:10-12 My '63. (MIRA 16:4)

l. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov SSSR.

(Units)

In memory of M.A. Chernyshev. Vest. TSNII MPS 22 no.3: (MIRA 16:7)

163.

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'ny priborov pri Sovete Ministrov SSSR. (Chernyshev, Mikhail Aleksandrovich, d. 1963)

Introduction of the International System of Units in the U.S.S.R. Mor.flot. 23 no.6:31-33 Je '63. (MIRA 16:9)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR.

(No subject headings)

Introduction of the International Unit System in the U.S.S.R. Standartizatsiia 27 no.3:3-7 Mr '63. (MIRA 16:4) (Weights and measures—Standards)

Entroduction of the international unit system into the U.S.S.R. Muk.-elev. prom. 29 no.4:22-24 Ap 163. (MIRA 16:7)

1. Zamestitel predsedatelya Komiteta standartov, mer. i izmeritel nykh priborov pri Sovete Ministrov SSSR. (Units)

KOROTKOV, V.

Introduction of the International system of units in the U.S.S.R. Sudostroenie 29 no.5:70-72 My '63. (MIRA 16:9)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR. (No subject headings)

KOROTKOV, V.

Introduction of the international unit system in the U.S.S.R. Mas.-zhir. prom. 29 no.8:43 Ag '63. (MIRA 16:10)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete ministrov SSSR.


On the introduction of the International System of Units in the U.S.S.R. Zhur.ob.khim. 33 no.7:2426-2429 Jl '63. (MIRA 16:8)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSA. (Units)

Introducing the international unit system in the U.S.S.R. Standinstr. 34 no.6:39-41 Je 163. (MIRA 16:7)

1. Zamestitel* predsedatelya Gosudarstvennogo komiteta standartov, met i izmeritel*nykh priborov SSSR.

(Weight and measures—Standards)



"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5

KOROTKOV, V.

Adoption of the International Unit System in the U.S.S.R. Khim.-volok. no.2:74-70 '63. (MIRA 16:5)

l. Zamestitel' predsedatelya Gosudarstvennogo komiteta standartov, mer i izmeritel'nykh priborov SSSR. (Units)

Introduction of the International Unit System in the U.S.S.R. Mashinostroitel no.6:44-46 Je 63. (MIRA 16:7)

1. Zamestitel predsedatelya Komiteta standartov, mer i ismeritel nykh priborov pri Sovete Ministrov SSSR. (Weight and measures—Standards)

Introduction of the international system of units in the U.S.S.R. Elektrichestvo no.6:76-82 Je '63. (HIRA 16:7)

1. Zamestitel predsedatelya Gosudarstvennogo komiteta standartov, mer i izmeritel nykh priborov SSSR. (Units)

"APPROVED FOR RELEASE: 06/14/2000 CIA-RDP86-00513R000824910020-5

Introduction of the International System of Units in the U.S.S.R.


Introduction of the International System of Units in the U.S.S.R.

(MIRA 16:7)

IEV. AN SSSR. Otd.khim.nauk no.6:1149-1152 Je '63. (MIRA 16:7)


(Units)

"什么是不是我不是我们的我们的我们的我们是我们是我们的我们的



Use of the international system of units in the U.S.S.R. Energetik 11 no.5:668 My '63. (MIRA 16:7)

1. Zamestitel' predsedatelya Gosudarstvennogo komiteta standartov, mer i ismeritel'nykh priborov SSSR. (Units)



Adoption of the International Unit System in the U.S.S.R. Kauch. i res. 22 no.4:32-36 Ap *63. (MIRA 16:6)

1. Komitet standartov, mer i immeritel nykh priborov pri Sovete Ministrov SSSR. (Units)

KOROTKOV, V.P.

Introduction of the international system of units in the U.S.S.R. Fiz. v shkole 23 no.4:13-18 Jl-Ag '63. (MIRA 17:1)

1. Zamestitel' predsedatelya Komiteta standartov, mer i ismeritel'nykh priborov pri Sovete Ministrov SSSR.

Adoption of the International Unit System. Tekst.prom. 23 no.5: 87-90 My '63. (MIRA 16:5)

1. Zamestitel' predsedatelya Gosudarstvennogo komiteta standartov, mer i izmeritel'nykh priborov SSSR.

(Units)

ASSESSMENT OF THE PROPERTY OF

KOROTKOV, V.

Introduction of the international system of units in the U.S.S.R. (MIRA 16:5)


1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR.

(Units)

Introduction of the International Unit System in the U.S.S.R. Vest.mashinostr. 43 no.5:9-12 My '63. (MIRA 16:5)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov SSSR. (Weights and measures—Standards)

Adoption of the international unit system by the U.S.S.R. Bum. prom. [38] no.6:29-30 Je *63. (MIRA 16:7)



Introducing the international unit system into the U. S. S. R. Mekh. i elek. sots. sel'khoz. 21 no.3:46-48 '63. (MIRA 16:8)

AND SAND CONTROLLAR TO SAND CONTROLLAR BANK SENSE SAND SENSE SAND CONTROL OF THE SAND


1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR.


(Units)

KOROTKOV, V.P.

Introduction of the international unit system in the U.S.S.R. Der. prom. 12 no.4:13-14 Ap '63. (MIRA 16:10)

1. Komitet standartov, mer i izmeritel'nykh priborov pri Sovete ministrov SSSR.





KOROTKOV, V.P.

Introduction of the International System of Units in the U.S.S.R. Prib. i tokh. eksp. 8 no.4:197-199 Jl-Ag '63. (MIRA 16:12)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR.

KOROTKOV, V.P.

Introduction of the international system of units in the U.S.S.R. Gaz. delo no.8:3-6 163. (MIRA 17:3)

1. Komitet standartov, mer i izmeritelinykh priborov pri Scvete Ministrov SSSR.

Introduction of the International System of Units in the U.S.S.R. Prykl. mekh. 9 no.4:459-462 63. (MIRA 16:8)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR.

Introduction of the international unit system in the U.S.S.R. Gidroliz. i lesokhim. prom. 16 no.5:19-21 '63. (MIRA 17:2)

l. Gosudarstvennyy komitet standartov, mer i izmeritel'nykh priborov SSSR.

KOROTKOV, V.P.


Introduction of the international system of units in the U.S.S.R. Vest. elektroprom. 34 no.4:59-61 Ap '63. (MIRA 16:10)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR.

THE STATE OF THE PROPERTY OF T

On the introduction of the international system of units in the U.S.S.R. Khim. prom. no.4:241-244 Ap 163. (MIRA 16:8)

l. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR.



Introduction of the International System of Units in the U.S.S.R. Priborostroenie no.7:25-28 Jl '63. (MIRA 16:9)

1. Zamestitel' predsedatelya Komiteta standartov, mer i izmeritel'nykh priborov pri Sovete Ministrov SSSR.

IVANOV, A.G.; BURDUN, G.D., doktor tekhn. nauk, prof.; VOLOSOV, S.S.; KOROTKOV, V.P.; PED*, Ye.I.; ROSTOVYKH, A.Y.; RYMAR*, N.F.; TAYTS, B.A., doktor tekhn. nauk, prof.; KOCHENOV, M.I., kand. tekhn. nauk, retsenzent

[Measuring instruments used in the manufacture of machinery] Izmeritel'nye pribory v mashinostroenii. Moskva, Mashinostroenie, 1964. 523 p. (MIRA 18:1)

L 4905-66 EWT(d)/EWT(1)/EWP(v)/EWP(k)/EWP(h)/EWP(1)/EWA(h)/ETC(m) WI
ACC NR: AP5023278

UR/0302/65/000/003/0048/0049
62-553.3

AUTHOR: Kudryashov, A. N.; Kutovenko, S. S.; Polovoy, P. A.; Korotkov, V. P.

TITLE: Two-position contactless liquid level regulator

SOURCE: Avtomatika i priborostroyeniye, no. 3, 1965, 48-49

TOPIC TAGS: liquid level indicator, liquid level instrument, automatic regulation

ABSTRACT: The existing relay-operating circuits for water level control in boilers utilizing aggressive "dark" waters are not very reliable. The breakdowns occur mostly because of various types of deposits and, consequently, the personnel of the Dnepropetrovsky metallursky institut (Dnepropetrovsk Metallurgical Institute), in conjunction with the Zaporozh-sky filial Instituta avtomatiki (Zaporozh'ye Branch, Institute of Automation), developed a completely contactless liquid level regulator, the induction sensors of which exhibit increased diamagnetic tube surrounded by three induction coils. The level is indicated by a float moving describes the design and operation of the associated electrical circuit of the control which was ASSOCIATION: None


SUBMITTED: 00

ENCL: 00

SUB CODE: IE

NO REF SOV: 000 Card 1/1


OTHER: 000



"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824910020-5


在中央方面的政治的政治的政治和**对共享的**共享的国际 L 20419-66 EVT(1)/7 WR SOURCE CODE: UR/0413/66/000/004/0034/0034 ACC NR: AP6009841 INVENTOR: Korotkov, V. P.; Shmakov, V. A.; Shevchenko, B. N. 46 ORG: none TITLE: Device for conversion, normalization, and integration of antenna radiation patterns. Class 21, No. 178869 25B, # SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 4, 1966, 34 TOPIC TAGS: mechanical motion instrument, antenna radiation pattern, antenna engineering ABSTRACT: A mechanical device is introduced for conversion, normalization, and integration of antenna radiation patterns (see Fig. 1). To increase the operating Fig. 1. Device for conversion, integration, and normalization of radiation patterns 1 - Steel template; 2 - rod; 3 - multiplication mechanism; 4 - friction planimeter; 5 - cam. 621.317.619 UDC: 1/2 Card



04273-67 SOURCE CODE: UR/0413/66/000/008/0090/0090 ACC NR: AP6013295 AUTHORS: Korotkov, V. P.; Nikol'skiy, A. A.; Shmakov, V. A. 10 ORG: none TITLE: A method for inspecting the internal surface of spherical details. Class 42, No. 180829 SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 8, 1966, 90 TOPIC TAGS: surface geometry, surface roughness, SPHERIC SHELL STRUCTURE. METHOD . OPTIC ABSTRACT: This Author Certificate presents a method for inspecting the internal surface of spherical details by the deflection of the constant level line from the standard value. To inspect details of complex shape, the lines of constant level are obtained by cutting the inspected detail by a layer of low reflection liquid. The level of the liquid is then changed by a desired amount, and the line is photographed on the same colored film with the use of interchangeable color filters. SUBM DATE: 190ct64 SUB CODE: 20/ 778.6:531.717.7 Card 1/1

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000824910020-5



probes with subtracting blocks. To fully match the continuously changing input impedance of the antenna, the probes are connected in series to feeders, and clutches rabitracting blocks are coupled to polarized relays that feed electromagnetic elements. One of the matching elements consists of a variable-length line and the other of a network of capacitors connected in a parallel-series configuration. The second element is connected at a distance equal to 1/8 of the wavelength from the two-element probe, which is nearer to the load. Orig. art. has: 1 figure.

[IV]

SUB CODE: 17/ SUBM DATE: 160ct63/ ATD PRESS: 5110

